


Technical Specification

ENGINE			
Model	SLTHT6, BS-VI Compliant		
Туре	Diesel Engine Common Rail Direct Injection Turbo-charged with Inter Cooler (In line 4 cylinders)		
Displacement		3455 cc	
Power		85 kW at 2600 rpm	
Torque	400 Nm at 1600 rpm		
ELECTRICAL			
System Voltage		12 V	
Battery Rating (Voltage, Current)		12 V, 70 A/h	
STEERING			
Power Steering		Yes	
Туре	Recirculating Ball Type		
DRIVE TRAIN			
Clutch Type	310 mm Dia Dry Single Plate		
Transmission	5 Forward + 1 Reverse		
SUSPENSION			
Туре	Rubber Ended Parabolic leaf springs		
Shock Absorbers	Hydraulic Double Acting & Telescopic Dampers (Front & Rear)		
	Hydraulic Double	e Acting & Telescopic Dampers (Front & Rear)	
BRAKES	Hydraulic Double	e Acting & Telescopic Dampers (Front & Rear)	
BRAKES Service Brakes		e Acting & Telescopic Dampers (Front & Rear) Vacuum Assisted Pneumatic (Air Brakes)	
	Dual Circuit		
Service Brakes	Dual Circuit	Vacuum Assisted Pneumatic (Air Brakes)	
Service Brakes Parking Brake	Dual Circuit	Vacuum Assisted Pneumatic (Air Brakes) nical Expanding Type on Rear Wheels	
Service Brakes Parking Brake Auto Slack Adjuster	Dual Circuit	Vacuum Assisted Pneumatic (Air Brakes) nical Expanding Type on Rear Wheels Yes	



FUEL CAPACITY			
Fuel Tank	90 litres		
Adblue Tank	15 litres		
SAFETY			
Fire Detection & Supression System (FDSS)	Yes (AIS 153)		
Panic Switches (Black Box)	Yes (AIS 140)		
DIMENSIONS & SEATS			
Wheel Base	4370 mm (AC / Non AC Option)	5300 mm (non AC only)	
3X2 School Seats	52+D	62+D	
2X2 Semi-reclining Seats	34+D	42+D	
2X2 High-back Seats	36+D	44+D	
Overall Length	9,030 mm	10,030 mm	
Overall Width	2,400 mm		
Overall Height	2,985 mm		
Ground Clearance	206 mm		



Noteworthy Features





Equipped with Efficient BS-VI Engine



Window Guard Rails



Low Step Height



Emergency Exit



Anti- Bacterial Laminated Fire Retardant Upholstery



School Bag Rack



Panic Switches



LED Rear Lamps



Aesthetically designed Drivers Cabin with Smartly placed controls



Spacious Area for Ease of Movement



Digital Clock



Fog Lamps



SML ISUZU LTD.

Corporate Office: 204-205, Sector 34-A, Chandigarh - 160 022

Website: www.smlisuzu.com

Pan India SMLI Sales Support # +91 93198 41155







Visit us @: 1 @smlisuzuoffical o @smlisuzuoffical o @company/sml-isuzu-ltd

WHY CHOOSE SML?

- Wide and Far Reaching Network.
- **Excellent Service Support.**
- Trustworthy and be assured that your vehicle is in the safe hands when it comes to service.
- Easy Availability of Spares.
- · Easy Finance Available from all leading Banks and financial lending institutions.

Warranty*

- Engine & Gear Box: Upto 3 years for unlimited kilometers run
- Differential & Aggregates: Upto 2 years for unlimited kilometers run
- Bus Body: Upto 2 years for unlimited kilometers run

Authorised Dealer: